



**APPENDIX B.
SOUTH BAY MARSHES:
2002 VEGETATION MAPS**

2002 MARSH PLANT ASSOCIATIONS OF SOUTH SAN FRANCISCO BAY
LOWER REACH SEGMENTS DOMINANT SPECIES

SEGMENTS 1, 2, 3, 4, 8, 22 and 23



- Alkali Bulrush
- Alkali Heath
- Cordgrass
- Gumplant
- Knotweed
- Peppergrass
- Peripheral Halophytes
- Pickleweed
- Pickleweed-Cordgrass Mix
- Saltgrass
- Saltgrass-Gumplant Mix
- Spearscale
- Water




H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS


**2002 South Bay Marsh Studies Dominant Plant
Species By Reach**

File No. 477-22	Date 11/8/02	Figure B-1
-----------------	--------------	------------

2002 MARSH PLANT ASSOCIATIONS OF SOUTH SAN FRANCISCO BAY
TRANSITION SEGMENTS DOMINANT SPECIES
SEGMENTS 5, 9, 10, 11, 14 and 20



- Alkali Bulrush
- Alkali Heath
- California Bulrush
- Cattail
- Cordgrass
- Gumplant
- Jaumea
- Knotweed
- Peppergrass
- Peripheral Halophytes
- Pickleweed
- Pickleweed-Cordgrass Mix
- Saltgrass
- Saltgrass-Gumplant Mix
- Spearscale
- Upland Species
- Water



H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS

2002 South Bay Marsh Studies Dominant Plant
Species By Reach

File No. 477-22


Date 11/8/02

Figure B-2

2002 MARSH PLANT ASSOCIATIONS OF SOUTH SAN FRANCISCO BAY

UPPER REACH SEGMENTS DOMINANT SPECIES

SEGMENTS 12, 13, 15, 16, 17, 18, 19, 21, 24, 25 and 26



- Alkali Bulrush
- Alkali Heath
- California Bulrush
- Cattail
- Cordgrass
- Gumplant
- Knotweed
- Peppergrass
- Peripheral Halophytes
- Pickleweed
- Pickleweed-Cordgrass Mix
- Poison Hemlock
- Saltgrass
- Saltgrass-Gumplant Mix
- Spearscale
- Upland Species
- Water



H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS

**2002 South Bay Marsh Studies Dominant Plant
Species By Reach**

File No. 477-22

Date 11/8/02

Figure B-3

2002 MARSH PLANT ASSOCIATIONS OF SOUTH SAN FRANCISCO BAY
ALVISO SLOUGH SEGMENTS DOMINANT SPECIES
SEGMENTS 27, 28, 29 and 30

- Alkali Bulrush
- Alkali Heath
- California Bulrush
- Cattail
- Cordgrass
- Coyote Brush
- Gumplant
- Knotweed
- Peppergrass
- Peripheral Halophytes
- Pickleweed
- Pickleweed-Cordgrass Mix
- Saltgrass
- Saltgrass-Gumplant Mix
- Spearscale
- Upland Species
- Water

Alviso Slough



0 1,500 3,000 Feet



2002 South Bay Marsh Studies Dominant Plant Species By Reach

File No. 477-22 Date 11/8/02 Figure B-4

2002 MARSH HABITAT TYPES OF SOUTH SAN FRANCISCO BAY

LOWER REACH SEGMENTS HABITATS

SEGMENTS 1, 2, 3, 4, 8, 22 and 23

- Fresh
- Brackish
- Saline
- Levee
- Upland Species
- Water

Mowry Slough

Coyote Creek

San Francisco Bay



0 1,500 3,000 Feet









H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS


2002 South Bay Marsh Studies Marsh Habitat
Types By Reach

File No. 477-22 Date 11/8/02 Figure B-5

2002 MARSH HABITAT TYPES OF SOUTH SAN FRANCISCO BAY
TRANSITION SEGMENTS DOMINANT SPECIES

SEGMENTS 5, 9, 10, 11, 14 and 20

-  Fresh
-  Brackish
-  Saline
-  Levee
-  Upland Species
-  Water



H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS

**2002 South Bay Marsh Studies Marsh Habitat
Types By Reach**

File No. 477-22



Date 11/8/02

Figure B-6

2002 MARSH HABITAT TYPES OF SOUTH SAN FRANCISCO BAY

UPPER REACH SEGMENTS DOMINANT SPECIES

SEGMENTS 12, 13, 15, 16, 17, 18, 19, 21, 24, 25 and 26



H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS

**2002 South Bay Marsh Studies Marsh Habitat
Types By Reach**

File No. 477-22 Date 11/8/02 Figure B-7

2002 MARSH HABITAT TYPES OF SOUTH SAN FRANCISCO BAY

ALVISO SLOUGH SEGMENTS HABITATS

SEGMENTS 27, 28, 29 and 30

- Fresh
- Brackish
- Saline
- Levee
- Upland Species
- Water

Alviso Slough



0 1,500 3,000 Feet



H.T. HARVEY & ASSOCIATES
ECOLOGICAL CONSULTANTS

**2002 South Bay Marsh Studies Marsh Habitat
Types By Reach**

File No. 477-22

Date 11/8/02

Figure B-8